



## **HIGH QUALITY COPING STONES & PIER CAPS**

A leading manufacturer of precast concrete Coping stones & Pier Caps



#### **About us**

Welcome to Coping Stones UK. We are a leading manufacturer of precast concrete Coping Stones and Pier Caps across the UK.

Coping stones add the finishing touch to any wall and protect the brickwork from potential water damage. Our extensive range of coping stones are available in a range of differing styles and colours allowing you to compliment, or contrast, with your brickwork and paving.

We can also create bespoke concrete Coping Stones and Pier Caps to your personal specifications – Our skilled joiners will work to your exact specification to produce your unique product.

All of our mixes are designed to give the concrete the highest quality surface finishes making sure the concrete has great impermeability giving the edge to retain its colour and longevity through the harshest of weather conditions.

This coupled with our perfected curing practices of perfect temperature and humidity allows us to produce some of the highest quality concrete coping stones and pier caps on the market.

Please browse through our brochure and view our extensive range of Coping Stones and Pier Caps and order your preferred choice directly through your local supplier.



#### **Colour Chart**

**PLEASE NOTE** all swatch sample colours are matched as close as possible for printing.

Please check stone samples on your local suppliers display stand for exact colour finishes.

All of our products are available in three distinct finishes: Standard, Rustic Stone, and Resin.






## Chamfered Edge



**Chamfered Edge Coping** 

(L) 600mm x (W) 170mm x (H) 65mm




**Chamfered Edge Coping** 

(L) 600mm x (W) 280mm x (H) 65mm




**Chamfered Edge Coping** 

(L) 600mm x (W) 320mm x (H) 65mm



**Chamfered Edge Coping** 

(L) 600mm x (W) 400mm x (H) 50mm



**Chamfered Edge Coping** 

(L) 600mm x (W) 500mm x (H) 65mm

#### Corners



**Chamfered Edge Corner Coping** 

(L) 380mm x (W) 280mm x (H) 65mm



**Chamfered Edge Corner Coping** 

(L) 380mm x (W)320mm x (H) 65mm



**Chamfered Edge Corner Coping** 

(L) 500mm x (W) 400mm x (H) 50mm



#### **Flats**



Flat Coping
(L) 500mm x (W) 140mm x (H) 50mm



Flat Coping
(L) 600mm x (W) 170mm (H) 50mm



Flat Coping
(L) 450mm x (W) 215mm (H) 37.5mm



Flat Coping
(L) 600mm x (W) 250mm x (H) 50mm



Flat Coping
(L) 600mm x (W) 300mm x (H) 50mm



Flat Coping
(L) 600mm x (W) 350mm x (H) 50mm



Flat Coping
(L) 600mm x (W) 400mm x (H) 50mm



Flat Coping
(L) 600mm x (W) 450mm x (H) 50mm



Flat Coping
(L) 600mm x (W) 500mm x (H) 50mm



Flat Coping
(L) 600mm x (W) 200 x (H) 50mm



Flat Coping
(L) 600mm x (W) 550 x (H) 60mm



Flat Coping
(L) 500mm x (W) 600 x (H) 50mm



### Once Weathered



Once Weathered Coping (L) 600mm x (W) 170mm x (H) 75-50mm



**Once Weathered Coping** (L) 600mm x (W) 300mm x (H) 75-50mm



Once Weathered Coping (L) 600mm x (W) 400mm x (H) 75-50mm



Once Weathered Coping (L) 600mm x (W) 450mm x (H) 75-50mm



Once Weathered Coping

(L) 600mm x (W) 500mm x (H) 75-50mm

Once Weathered Coping (L) 600mm x (W) 550mm x (H) 75-50mm



**Once Weathered Coping** (L) 600mm x (W) 650mm (H) 75-50mm



Once Weathered Coping (L) 600mm x (W) 350 x (H) 75-50mm



**Once Weathered Coping** (L) 600mm x (W) 330 x (H) 100-75mm

**Once Weathered Corners** 



**Once Weathered Coping** (L) 600mm x (W) 700mm (H) 75-50mm



**Once Weathered Coping** 



(L) 600mm x (W) 600mm (H) 75-50mm



External Once Weathered Corner

(L) 270mm x (W) 170mm x (H) 75-50mm



Internal Once Weathered Corner

(L) 270mm x (W) 170mm x (H) 75-50mm



External Once Weathered Corner

(L) 400mm x (W) 300mm x (H) 75-50mm



**External Once Weathered Corner** 

(L) 450mm x (W) 350mm x (H) 75-50mm



External Once Weathered Corner

(L) 500mm x (W) 400mm x (H) 75-50mm



Internal Once Weathered Corner

(L) 500mm x (W) 400mm x (H) 75-50mm



(L) 650mm x (W) 550mm x (H) 75-50mm



Internal Once Weathered Corner

(L) 550mm x (W) 450mm x (H) 75-50mm

Internal Once Weathered Corner



**External Once Weathered Corner** 

(L) 650mm x (W) 550mm x (H) 75-50mm



External Once Weathered Corner

(L) 600mm x (W) 500mm x (H) 75-50mm





### Twice Weathered



Twice Weathered Coping (L) 600mm x (W) 150mm x (H) 50-30mm



**Twice Weathered Coping** (L) 900mm x (W) 170mm x (H) 50-30mm



Twice Weathered Coping (L) 600mm x (W) 300mm x (H) 50-30mm



**Twice Weathered Coping** 

(L) 600mm x (W) 300mm x (H) 75-50mm



**Twice Weathered Coping** 

(L) 600mm x (W) 300mm x (H) 90-40mm



**Twice Weathered Coping** 

(L) 600mm x (W) 375mm x (H) 100mm-50mm



**Twice Weathered Coping** (L) 600mm x (W) 400mm (H) 90-40mm

Twice Weathered Coping

(L) 600mm x (W) 450mm x (H) 75-50mm



**Twice Weathered Coping** 

(L) 600mm x (W) 550mm (H) 75-50mm



Twice Weathered Coping

(L) 600mm X (W) 600mm X (H) 75-50mm

## Twice Weathered Corner Copings



**Twice Weathered Corner Coping** 

(L) 380mm x (W) 300mm (H) 50-30mm



**Twice Weathered Corner Coping** 

(L) 225mm x (W) 150mm x (H) 50-30mm



Twice Weathered Coping Chiselled End

(L) 300mm x (W) 375mm (H) 100-50mm






## Victorian Style Twice Weathered Coping



Twice Weathered Victorian Style Coping
(L) 310mm X (W) 320mm (H) 120-45mm



Twice Weathered Victorian Style Coping

Twice Weathered Victorian Style Coping
(L) 220mm x (W) 455mm (H) 145-35mm

(L) 200mm X (W) 330mm (H) 100-22mm

### Victorian Style Twice Weathered Corner & Ends



Chiseled End
(L) 310mm x (W) 320mm x (H) 120-45mm



Twice Weathered Victorian Style Corner

(L) 420mm x (W) 320mm x (H) 120-45mm



### Decorative



Bevelled Edge Coping

(L) 600mm x (W) 300mm x (H) 75-50mm



Twice Weathered Bevelled Edge Coping

(L) 600mm X (W) 300mm (H) 75-50mm



Twice Weathered Bevelled Edge Coping

(L) 800mm x (W) 400mm (H) 75-50mm



York Stone Coping

(L) 530mm x (W) 150mm x (H) 50mm



Mill Stone Coping Stone

(L) 600mm x (W) 300mm x (H) 42mm



Georgian Edge

(L) 600mm x (W) 210mm x (H) 75mm





#### Standard Four Weathered



Four Weathered Standard Apex Pier Cap




Four Weathered Standard Apex Pier Cap



Four Weathered Standard Apex Pier Cap

(L) 280mm x (W) 280mm (1 x 1 BRICK)



(L) 400mm x (W) 290mm (1.5 x 1 BRICK)





(L) 380mm x (W) 380mm (H) 100-50mm (1.5 x 1 BRICK)

Four Weathered Standard Apex Pier Cap Four Weathered Standard Apex Pier Cap

(L) 420mm x (W) 420mm x (H) 100-50mm (1.5 x 1.5 IMPERIAL BRICK)

Four Weathered Standard Apex Pier Cap

(L) 520mm x (W) 420mm (2 x 1.5 BRICK)







#### Four Weathered Standard Apex Pier Cap

(L) 520mm x (W) 520mm x (H) 100-50mm (2 x 2 BRICK)

#### Four Weathered Standard Apex Pier Cap

(L) 610mm x (W) 610mm (H) 100-50mm (2.5 x 2.5 BRICK)


#### Four Weathered Standard Apex Pier Cap

(L) 830mm x (W) 830mm x (H) 75-50mm (3.5 x 3.5 BRICK)





### Fluted Apex



Fluted Apex Pier Cap

(L) 380mm x (W) 380mm (H) 175mm (1.5 x 1.5 BRICK)



Fluted Apex Pier Cap

(L) 450mm x (W) 450mm (H) 210mm (1.5 x 1.5 IMPERIAL BRICK)



Fluted Apex Pier Cap

(L) 510mm x (W) 370mm (H) 170mm (2 x 1.5 BRICK)



#### Fluted Apex Pier Cap

(L) 520mm x (W) 520mm (H) 210mm (2 x 2 BRICK)

### Fluted Flat Top



Fluted Flat Top Pier Cap

(L) 260mm x (W) 260mm x (H) 100mm (1 x 1 BRICK)



#### Fluted Flat Top Pier Cap

(L) 380mm x (W) 380mm x (H) 100mm (1.5 x 1.5 BRICK)



#### Fluted Flat Top Pier Cap

(L) 510mm x (W) 510mm x (H) 140mm (2 x 2 BRICK)






## Flat Pier Caps



Flat Pier Cap
(L) 290mm x (W) 290mm x (H) 65mm
(1 x 1 BRICK)



Flat Pier Cap
(L) 420mm x (W) 420mm x (H) 65mm
(1.5 x 1.5 IMPERIAL BRICK)



Flat Pier Cap
(L) 520mm x (W) 520mm x (H) 65mm
(2 x 2 BRICK)



Flat Pier Cap (L) 520mm x (W) 410mm (H) 65mm (2.5 x 1.5 BRICK)



Flat Pier Cap
(L) 625mm x (W) 525mm x (H) 65mm
(2.5 x 2 BRICK)



Flat Pier Cap
(L) 615mm x (W)615mm x (H) 65mm
(2.5 x 2.5 BRICK)



Flat Pier Cap
(L) 665mm x (W)665mm x (H) 65mm
(2.5 x 2.5 IMPERIAL BRICK)



Flat Pier Cap
(L) 750mm x (W)750mm x (H) 65mm
(3 x 3 BRICK)



Flat Pier Cap
(L) 760mm x (W) 530mm x (H) 65mm
(3 x 2 BRICK)



Flat Pier Cap
(L) 880mm x (W) 880mm x (H) 65mm
(3.5 x 3.5 BRICK)





## Victorian Style




Victorian Style Pier Cap
(L) 280mm x (W) 280mm x (H) 100mm
(1 x 1 BRICK)



Victorian Block Pier Cap
(L) 280mm x (W) 280mm
(1X1 BRICK)



Victorian Style Pier Cap (L) 380mm x (W) 280mm x (H) 100mm (1.5 x 1 BRICK)



Victorian Style Pier Cap
(L) 380mm x (W) 380mm x (H) 100mm
(1.5 x 1.5 BRICK)




Victorian Style Pier Cap
(L) 520mm x (W) 280mm x (H) 100mm
(2 x 1 BRICK)



Victorian Style Pier Cap
(L) 520mm x (W) 380mm x (H) 100mm
(2 x 1.5 BRICK)



Victorian Style Pier Cap
(L) 520mm x (W) 520mm x (H) 100mm
(2 x 2 BRICK)



Victorian Style Pier Cap
(L) 610mm x (W) 610mm x (H) 125mm
(2.5 x 2.5 BRICK)



Victorian Style Pier Cap
(L) 750mm x (W) 750mm x (H) 125mm
(3×3 BRICK)



# **Atlas Spheres**



Full Unit Atlas Sphere & Stand



Atlas Sphere (L) 300mm x (W) 300mm



Atlas Sphere Stand
(L) 300mm x (W) 300mm x (H)180mm



#### **DYES**



If you require your mortar joints to be the same colour as your copings or if there is any other colour specifications you may have please feel free to contact your local supplier for a pigment/dye that we can supply for your mix or feel free to contact us directly

#### **RESIN**



#### **Concrete Resin 1 Litre Bottle**

Resin typically lasts around 3–5 years. Feel free to contact your local supplier to re-apply the resin to your copings in order to give them an uplift or to simply maintain them. This will keep the colour vibrant and longevity of the concrete for years to come by protecting the stones from the elements. Contact us directly if you need advice on self application of resin

16C Pillings Road Oakham Rutland LE15 6QF 01664 454 572 sales@copingstonesuk.co.uk www.copingstonesuk.co.uk

