



**Coping Stones UK Ltd**



## **HIGH QUALITY COPING STONES & PIER CAPS**

A leading manufacturer of precast concrete  
Coping stones & Pier Caps

16C Pillings Road  
Oakham  
Rutland  
LE15 6QF

01664 454 572  
[sales@copingstonesuk.co.uk](mailto:sales@copingstonesuk.co.uk)  
[www.copingstonesuk.co.uk](http://www.copingstonesuk.co.uk)



**Coping Stones UK Ltd**

## About us

---

Welcome to Coping Stones UK. We are a leading manufacturer of precast concrete Coping Stones and Pier Caps across the UK.

Coping stones add the finishing touch to any wall and protect the brickwork from potential water damage. Our extensive range of coping stones are available in a range of differing styles and colours allowing you to compliment, or contrast, with your brickwork and paving.

We can also create bespoke concrete Coping Stones and Pier Caps to your personal specifications – Our skilled joiners will work to your exact specification to produce your unique product.

All of our mixes are designed to give the concrete the highest quality surface finishes making sure the concrete has great impermeability giving the edge to retain its colour and longevity through the harshest of weather conditions.


This coupled with our perfected curing practices of perfect temperature and humidity allows us to produce some of the highest quality concrete coping stones and pier caps on the market.

Please browse through our brochure and view our extensive range of Coping Stones and Pier Caps and order your preferred choice directly through your local supplier.



**PLEASE NOTE** all swatch sample colours are matched as close as possible for printing.  
Please check stone samples on your local suppliers display stand for exact colour finishes.  
All of our products are available in three distinct finishes: Standard, Rustic Stone, and Resin.

DRY



Super Portland White



Portland White



Sandstone Buff



Plum Slate



Anthracite Grey



Ivory Cream



Natural Grey



Terracotta



Blue Slate



Black Slate



Limestone Cream



Bathstone Buff




Brick Red



Marley Brown

WET



Super Portland White



Portland White



Sandstone Buff



Plum Slate



Anthracite Grey



Ivory Cream



Natural Grey



Terracotta



Blue Slate



Black Slate



Limestone Cream



Bathstone Buff



Brick Red



Marley Brown



## Chamfered Edge

---




**Chamfered Edge Coping**

(L) 600mm x (W) 170mm x (H) 65mm




**Chamfered Edge Coping**

(L) 600mm x (W) 280mm x (H) 65mm




**Chamfered Edge Coping**

(L) 600mm x (W) 320mm x (H) 65mm



**Chamfered Edge Coping**

(L) 600mm x (W) 400mm x (H) 50mm



**Chamfered Edge Coping**

(L) 600mm x (W) 500mm x (H) 65mm


## Corners

---



**Chamfered Edge Corner Coping**

(L) 380mm x (W) 280mm x (H) 65mm



**Chamfered Edge Corner Coping**

(L) 380mm x (W) 320mm x (H) 65mm




**Chamfered Edge Corner Coping**

(L) 500mm x (W) 400mm x (H) 50mm




## Flats




**Flat Coping**

(L) 500mm x (W) 140mm x (H) 50mm



**Flat Coping**

(L) 600mm x (W) 170mm (H) 50mm



**Flat Coping**

(L) 600mm x (W) 200 x (H) 50mm



**Flat Coping**

(L) 450mm x (W) 215mm (H) 37.5mm



**Flat Coping**

(L) 600mm x (W) 250mm x (H) 50mm




**Flat Coping**

(L) 600mm x (W) 300mm x (H) 50mm




**Flat Coping**

(L) 600mm x (W) 350mm x (H) 50mm




**Flat Coping**

(L) 600mm x (W) 400mm x (H) 50mm




**Flat Coping**

(L) 600mm x (W) 450mm x (H) 50mm




**Flat Coping**

(L) 600mm x (W) 500mm x (H) 50mm



**Flat Coping**

(L) 600mm x (W) 550 x (H) 60mm



**Flat Coping**

(L) 500mm x (W) 600 x (H) 50mm



## Once Weathered



**Once Weathered Coping**  
(L) 800mm x (W) 170mm x (H) 75-50mm



**Once Weathered Coping**  
(L) 600mm x (W) 300mm x (H) 75-50mm



**Once Weathered Coping**  
(L) 600mm x (W) 400mm x (H) 75-50mm




**Once Weathered Coping**  
(L) 600mm x (W) 330 x (H) 100-75mm



**Once Weathered Coping**  
(L) 600mm x (W) 450mm x (H) 75-50mm



**Once Weathered Coping**  
(L) 600mm x (W) 500mm x (H) 75-50mm



**Once Weathered Coping**  
(L) 600mm x (W) 550mm x (H) 75-50mm



**Once Weathered Coping**  
(L) 600mm x (W) 650mm x (H) 75-50mm



**Once Weathered Coping**  
(L) 600mm x (W) 350 x (H) 75-50mm




**Once Weathered Coping**  
(L) 600mm x (W) 700mm x (H) 75-50mm




**Once Weathered Coping**  
(L) 600mm x (W) 600mm x (H) 75-50mm


## Once Weathered Corners




**External Once Weathered Corner**  
(L) 270mm x (W) 170mm x (H) 75-50mm




**Internal Once Weathered Corner**  
(L) 270mm x (W) 170mm x (H) 75-50mm




**External Once Weathered Corner**  
(L) 400mm x (W) 300mm x (H) 75-50mm




**External Once Weathered Corner**  
(L) 450mm x (W) 350mm x (H) 75-50mm




**External Once Weathered Corner**  
(L) 500mm x (W) 400mm x (H) 75-50mm




**Internal Once Weathered Corner**  
(L) 500mm x (W) 400mm x (H) 75-50mm



**External Once Weathered Corner**  
(L) 550mm x (W) 450mm x (H) 75-50mm




**Internal Once Weathered Corner**  
(L) 550mm x (W) 450mm x (H) 75-50mm




**External Once Weathered Corner**  
(L) 600mm x (W) 500mm x (H) 75-50mm



**Internal Once Weathered Corner**  
(L) 600mm x (W) 500mm x (H) 75-50mm



**External Once Weathered Corner**  
(L) 650mm x (W) 550mm x (H) 75-50mm



**Internal Once Weathered Corner**  
(L) 650mm x (W) 550mm x (H) 75-50mm



## Twice Weathered



**Twice Weathered Coping**  
(L) 600mm x (W) 150mm x (H) 50-30mm




**Twice Weathered Coping**  
(L) 900mm x (W) 170mm x (H) 50-30mm




**Twice Weathered Coping**  
(L) 600mm x (W) 300mm x (H) 50-30mm




**Twice Weathered Coping**  
(L) 600mm x (W) 300mm x (H) 75-50mm




**Twice Weathered Coping**  
(L) 600mm x (W) 300mm x (H) 90-40mm



**Twice Weathered Coping**  
(L) 600mm x (W) 375mm x (H) 100mm-50mm




**Twice Weathered Coping**  
(L) 600mm x (W) 400mm (H) 90-40mm



**Twice Weathered Coping**  
(L) 600mm x (W) 450mm x (H) 75-50mm



**Twice Weathered Coping**  
(L) 600mm x (W) 550mm (H) 75-50mm




**Twice Weathered Coping**  
(L) 600mm X (W) 600mm X (H) 75-50mm


## Twice Weathered Corner Copings



**Twice Weathered Corner Coping**  
(L) 225mm x (W) 150mm x (H) 50-30mm



**Twice Weathered Corner Coping**  
(L) 380mm x (W) 300mm (H) 50-30mm



**Twice Weathered Coping Chiselled End**  
(L) 300mm x (W) 375mm (H) 100-50mm




## Victorian Style Twice Weathered Coping

---



**Twice Weathered Victorian Style Coping**

(L) 310mm x (W) 320mm (H) 120-45mm



**Twice Weathered Victorian Style Coping**

(L) 200mm x (W) 330mm (H) 100-22mm



**Twice Weathered Victorian Style Coping**

(L) 220mm x (W) 455mm (H) 145-35mm

## Victorian Style Twice Weathered Corner & Ends

---



**Chiseled End**

(L) 310mm x (W) 320mm x (H) 120-45mm




**Twice Weathered Victorian Style Corner**

(L) 420mm x (W) 320mm x (H) 120-45mm




## Decorative

---




**Bevelled Edge Coping**

(L) 600mm x (W) 300mm x (H) 75-50mm



**Twice Weathered Bevelled Edge Coping**

(L) 600mm x (W) 300mm (H) 75-50mm



**Twice Weathered Bevelled Edge Coping**

(L) 800mm x (W) 400mm (H) 75-50mm



**York Stone Coping**

(L) 530mm x (W) 150mm x (H) 50mm



**Mill Stone Coping Stone**


(L) 600mm x (W) 300mm x (H) 42mm



**Georgian Edge**


(L) 600mm x (W) 210mm x (H) 75mm

## Standard Four Weathered




**Four Weathered Standard Apex Pier Cap**

(L) 280mm x (W) 280mm  
(1 x 1 BRICK)




**Four Weathered Standard Apex Pier Cap**

(L) 295mm x (W) 295mm (H) 100-50mm  
(1.5 x 1 BRICK)




**Four Weathered Standard Apex Pier Cap**

(L) 400mm x (W) 290mm  
(1.5 x 1 BRICK)




**Four Weathered Standard Apex Pier Cap**

(L) 380mm x (W) 380mm (H) 100-50mm  
(1.5 x 1 BRICK)




**Four Weathered Standard Apex Pier Cap**

(L) 420mm x (W) 420mm x (H) 100-50mm  
(1.5 x 1.5 IMPERIAL BRICK)




**Four Weathered Standard Apex Pier Cap**

(L) 520mm x (W) 420mm  
(2 x 1.5 BRICK)




**Four Weathered Standard Apex Pier Cap**

(L) 520mm x (W) 520mm x (H) 100-50mm  
(2 x 2 BRICK)



**Four Weathered Standard Apex Pier Cap**

(L) 610mm x (W) 610mm (H) 100-50mm  
(2.5 x 2.5 BRICK)



**Four Weathered Standard Apex Pier Cap**

(L) 830mm x (W) 830mm x (H) 75-50mm  
(3.5 x 3.5 BRICK)




## Fluted Apex




**Fluted Apex Pier Cap**

(L) 510mm x (W) 370mm (H) 170mm  
(2 x 1.5 BRICK)




**Fluted Apex Pier Cap**

(L) 380mm x (W) 380mm (H) 175mm  
(1.5 x 1.5 BRICK)



**Fluted Apex Pier Cap**


(L) 450mm x (W) 450mm (H) 210mm  
(1.5 x 1.5 IMPERIAL BRICK)



**Fluted Apex Pier Cap**


(L) 520mm x (W) 520mm (H) 210mm  
(2 x 2 BRICK)

## Fluted Flat Top




**Fluted Flat Top Pier Cap**

(L) 260mm x (W) 260mm x (H) 100mm  
(1 x 1 BRICK)



**Fluted Flat Top Pier Cap**

(L) 380mm x (W) 380mm x (H) 100mm  
(1.5 x 1.5 BRICK)




**Fluted Flat Top Pier Cap**

(L) 510mm x (W) 510mm x (H) 140mm  
(2 x 2 BRICK)




## Flat Pier Caps




**Flat Pier Cap**

(L) 290mm x (W) 290mm x (H) 65mm  
(1 x 1 BRICK)




**Flat Pier Cap**

(L) 420mm x (W) 420mm x (H) 65mm  
(1.5 x 1.5 IMPERIAL BRICK)




**Flat Pier Cap**

(L) 520mm x (W) 410mm (H) 65mm  
(2.5 x 1.5 BRICK)




**Flat Pier Cap**

(L) 520mm x (W) 520mm x (H) 65mm  
(2 x 2 BRICK)




**Flat Pier Cap**

(L) 625mm x (W) 525mm x (H) 65mm  
(2.5 x 2 BRICK)




**Flat Pier Cap**

(L) 615mm x (W) 615mm x (H) 65mm  
(2.5 x 2.5 BRICK)




**Flat Pier Cap**

(L) 665mm x (W) 665mm x (H) 65mm  
(2.5 x 2.5 IMPERIAL BRICK)




**Flat Pier Cap**

(L) 750mm x (W) 750mm x (H) 65mm  
(3 x 3 BRICK)



**Flat Pier Cap**

(L) 760mm x (W) 530mm x (H) 65mm  
(3 x 2 BRICK)



**Flat Pier Cap**

(L) 880mm x (W) 880mm x (H) 65mm  
(3.5 x 3.5 BRICK)




## Victorian Style



**Victorian Style Pier Cap**

(L) 280mm x (W) 280mm x (H) 100mm  
(1 x 1 BRICK)




**Victorian Block Pier Cap**

(L) 280mm x (W) 280mm  
(1x1 BRICK)



**Victorian Style Pier Cap**

(L) 380mm x (W) 280mm x (H) 100mm  
(1.5 x 1 BRICK)



**Victorian Style Pier Cap**

(L) 380mm x (W) 380mm x (H) 100mm  
(1.5 x 1.5 BRICK)



**Victorian Style Pier Cap**

(L) 520mm x (W) 280mm x (H) 100mm  
(2 x 1 BRICK)



**Victorian Style Pier Cap**

(L) 520mm x (W) 380mm x (H) 100mm  
(2 x 1.5 BRICK)




**Victorian Style Pier Cap**

(L) 520mm x (W) 520mm x (H) 100mm  
(2 x 2 BRICK)



**Victorian Style Pier Cap**

(L) 610mm x (W) 610mm x (H) 125mm  
(2.5 x 2.5 BRICK)



**Victorian Style Pier Cap**

(L) 750mm x (W) 750mm x (H) 125mm  
(3 x 3 BRICK)



## Atlas Spheres

---



**Full Unit Atlas Sphere & Stand**



**Atlas Sphere**  
(L) 300mm x (W) 300mm



**Atlas Sphere Stand**  
(L) 300mm x (W) 300mm x (H) 180mm



## DYES

---



**Concrete Dye 500g**



**Concrete Dye 1kg**



**Concrete Dye 5kg**

If you require your mortar joints to be the same colour as your copings or if there is any other colour specifications you may have please feel free to contact your local supplier for a pigment/dye that we can supply for your mix or feel free to contact us directly

## RESIN

---



**Concrete Resin 1 Litre Bottle**

Resin typically lasts around 3-5 years. Feel free to contact your local supplier to re-apply the resin to your copings in order to give them an uplift or to simply maintain them. This will keep the colour vibrant and longevity of the concrete for years to come by protecting the stones from the elements. Contact us directly if you need advice on self application of resin

16C Pillings Road  
Oakham  
Rutland  
LE15 6QF

01664 454 572  
[sales@copingstonesuk.co.uk](mailto:sales@copingstonesuk.co.uk)  
[www.copingstonesuk.co.uk](http://www.copingstonesuk.co.uk)



**Coping Stones UK Ltd**

All orders are subject to Coping Stones UK Ltd's Terms & Conditions. Goods are made to order and may vary slightly in size, weight, colour or finish. Full payment is required before production, and delivery is kerbside only. Bespoke products are non-refundable once manufacturing has commenced. For full Terms & Conditions, please visit [www.copingstonesuk.co.uk](http://www.copingstonesuk.co.uk).